

Instructions for wear checks of play equipment

The equipment must be checked for correct operation and safety, especially the points listed below:

Proof of maintenance

Playground.....

Date of installation


Checks depend on the type of equipment. Any equipment with moving parts must be checked at least twice a year, static equipment at least once a year.

Intervals for maintenance work and checks generally depend on

- the location
- the usage
- the frequency of use
- possible vandalism

For more details see also "General instructions for maintenance of playgrounds".

AQuadrat® Combination
Order No. 5.50000



The sketch shows the AQuadrat® example with a straight channel and a mushroom spring.

Wooden parts

1. Check for rot (regular cleaning prevents excessive rotting).
2. If necessary, smooth out splinters or edges of cracks.
3. Repair excessive warping or swelling by sanding wood back.
4. Check that all bolts and screws are tight and retighten if necessary.

Structural stability

5. In order to check the steel feet for corrosion, uncover the foundations once a year.

Please pay particular attention to the maintenance notes of the following optional combination equipment:

- 5.15820 Mill Wheel of metal
- 5.18000 Mushroom Spring
- 5.17500 Playground Pump
- 5.20000ff. Archimedes Screw
- 5.20850 Rotating Conveyor with Tipper Trays

Special notes, e.g. for repairs

Repair not carried out, it is still possible to play on equipment

Repair not carried out, equipment is taken out of action

All work carried out, everything is in order

Maintenance carried out by:

..... Date