

Play value

By turning the Double Helix, the outer and the inner spiral, which are connected to each other, move in a way that we perceive it as an upward and downward movement. Furthermore, the shadow of the double screw is seen as contra-rotating. In fact however, the turning movement takes place at the same level, i.e. every point on the double spiral remains at the same height. As with the pendulum, but here in a circulating movement, we experience the universal principle that in every rise a fall is inherent and vice versa.

Recommended for

- School children
- Young people
- Adults
- Older people
- Water play areas without supervision
- Public play areas without supervision, such as playgrounds, parks or similar



Special version



Special version




Double Helix
graubner Play Stations
for Developing the Senses

Vandalism	not vulnerable
Supervision	not necessary
Explanation Board	included
Installation	outdoors
Safety check (DIN EN 1176)	has been completed
Installation in concrete	possible



10.19200



Safety check according to DIN EN 1176

Components

- 1 Complete piece of equipment with foundation anchor
- 1 Explanation Board with support for dowelling and 4 heavy duty anchors

Trademark

30 2005 500 000 Germany
40-0682207 South Korea

Installation information

Recommended space
circle diameter 3.00 m

Foundations

1 item 130 x 130 x 70 cm
reinforced

Blinding layer

1 item 130 x 130 x 5 cm
Total excavation depth 115 cm

Explanation Board

1 item 40 x 40 x 40 cm
Excavation depth 60 cm

Attention:

**Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.**

Technical changes reserved.

**Double Helix also available in
smaller version (Order No. 10.19300)
for suspension.**

Technical information

Equipment made of stainless steel

Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



Roller bearings

High-quality roller bearings made of chrome steel or stainless steel for rotating elements, easy to maintain and exchange, sealed



For more detailed explanation of the quality characteristics see price list.

Sturdy pivot bearing

Handwheel for starting circular motion

Support for Explanation Board
made of stainless steel

Dimensions

(small deviations possible)

Height	6.00 m
Diameter	0.70 m
Weight	270 kg



10.19200