Play value

The construction principle is like two Hexagonal Huts put on top of each other. By its light and harmonious design and the pleasantly warm wood, the Hut becomes the centre piece of a small play area. Four storeys inside invite for climbing and hiding. Right on the top floor under the roof there is a cosy little room for chatting. All levels can be reached by ladders and ways through. Interesting attachment parts such as a suspension bridge, which links the hut with a hill, or a slide as way down, offer versatile play possibilities with a strong expression.





Attachment elements not included in the scope of components

Interesting attachments, such as a suspension bridge that connects the hut to a hill or a slide as an exit, turn the hut into a concentrated play point with strong charisma.

Fundamental characteristics

- Light and harmonious appearance
- Four different levels which can be
- reached by ladders and ways through - Incentive for playing: friendly appea-
- rance, gaining height, role-playing games
- Movement: climbing

Recommended for

- Kindergarten children
- School children
- Supervised play areas, such as kindergartens, schools, after school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar

Big Hexagonal Hut with roof



Safety distance -

Device dimensions -

Functional distance -

Order No. 3.17000 / 3.17050 Big Hexagonal Hut with roof

85


00

20

400

330





Safety check according to DIN EN 1176

Components

- 6 Side parts (partly with walls)
- 2 Whole floors
- 2 Half floors
- 1 Ladder outside
- 1 Continuing ladder inside
- 1 Roof
- 6 Steel feet

Installation information

Surfacing requirements corresponding to a fall height of \leq 2.00 m (please refer to price list for more detailed information)

Scale 1:100

Foundations 6 items 80 x 80 x 40 cm Excavation depth 60 cm

Attention: Exact measurements may vary; for all installation dimensions refer to current assembly instructions. Technical changes reserved.

Technical information

Equipment made of non-impregnated mountain larch

Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape

Claddings

Claddings made of mountain larch (4 – 5 cm). Peeled white by hand, natural tree surface remains tangible and perceptible

Tongue and groove

Tongue and groove planks made of 4 cm solid wood, highly resilient, no trickling of dust / sand, protection against direct rain

Hardwood rungs

Climbing rungs made of hardwood (ash) Ø 4.2 cm, milled and mortised, secured against twisting, easy to grip and not cold for children to touch

Adjustable

Adjustable two-piece bolt connection, easy to maintain, no projecting threads



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel

For more detailed explanation of the quality characteristics see price list.

Order No. 3.17050

As above, but with front of claddings instead of smooth edge boards

Dimensions

(small deviations possible)

Height	3.30 m
with roof	4.00 m
Floor heights	
whole floors	0.50 / 1.50 m
half floors	2.00 / 2.85 m
Side length	1.25 m
Weight	1060 kg
Roof	180 kg







