



The friendly little bird is a multifunctional, ambience-creating furnishing element for toddler areas. It is used for cozy sitting or gentle holding and is integrated into role-playing games. Through its emotional appeal, it also serves as a memento and helps the child build a relationship with the play space. A slight spinning motion is especially fun for the littlest ones.

## **Fundamental characteristics**

- Child proportions according to ergonomic requirements
- Natural wooden surface which appeals to the senses
- Turning movement
- Incentive for playing: role-playing games
- Movement: riding, moving one's centre of gravity

# **Recommended for**

- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar







Wader Bird



## Order No. 4.24286 Wader Bird





## Safety check according to DIN EN 1176

## Components

- 1 Wader Bird
- 1 Pre-fabricated foundation made of reinforced concrete C35/45

# 

## **Technical information**

Equipment made of non-impregnated mountain larch, Inner frame made of stainless steel, glass bead blasted

## **Peeled** white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced

# Plywood

Plywood made of mountain larch, three-layer (3 cm) or five-layer (4 cm). High dimensional stability, waterproof, glued according to DIN EN 13353:2011

#### **Richter Hercules type rope**

Richter Hercules type rope, a combination of galvanised six-strand steel cables and polyester yarn, diameter > 20 mm, laid and glued with very good abrasion resistance, strong sheathing even in the case of damage by puncturing

# Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends

## **Relief cut**

Scale 1:100



Targeted relief cut as an effective measure against cracks caused by drying. The cut defines the position of the stress equalization in the trunk and minimises natural cracking

# For more detailed explanation of the quality characteristics see price list.

Turning mechanism and fixings hot-dip galvanised

# Dimensions

(small deviations possible)

Length	0.50 m
Width	0.25 m
Sitting height	0.35 m
Weight	31 kg
with foundation	116 kg

Exavation 40 x 90 x 20 cm Recommendation

1 Pre-fabricated foundation (delivered with equipment)

Installation information

Surfacing requirements

detailed information)

Foundations

When installed in loose ground, the pre-fabricated concrete foundation should be covered durably, e.g. with safety tiles.

corresponding to a fall height of  $\leq 0.60$  m

(please refer to price list for more

## Attention:

**Exact measurements may vary;** for all installation dimensions refer to current assembly instructions. Technical changes reserved.

