

Play value

House combinations with basic furnishings like a table and benches invites to role-playing. It is possible to drive child vehicles onto the ramp and directly in front of the house, and the steps invite sitting. The play houses with their different levels are an incentive for active play.



© Richter Spielgeräte GmbH 08/24

House Group C

Fundamental characteristics

- Child proportions according to ergonomic requirements
- Agreeably designed ensemble for role-playing games
- Appealing design by: arrangement of the houses, sheltering roofs, mixed material forms: claddings / square timber
- Natural wooden surface which appeals to the senses
- Stable half-grooved roof construction made of claddings
- Incentive for playing: furniture, stairs, ramps
- Movement: crawling, hiding, movement on the ramp

Recommended for


- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar



L4.10900

Order No. L4.10900
House Group C

Safety distance →
Device dimensions ●
Functional distance —



Scale 1:100

Safety check according to DIN EN 1176

Components

- 3 Timber houses on stilts with steel feet
- 1 Bridge
- 1 Inclined ramp with foundation irons
- 2 Narrow stairs with foundation irons

Installation information

Surfacing requirements corresponding to a fall height of ≤ 0.60 m (please refer to price list for more detailed information)

Foundations

Timber Houses
12 items 50 x 50 x 40 cm
Excavation depth 60 cm

Ramp
1 item 30 x 50 x 30 cm
Excavation depth 50 cm

Stairs
2 items 30 x 70 x 20 cm
Excavation depth 40 cm

Attention:
Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.
Technical changes reserved.



L4.10900

Technical information

Equipment made of non-impregnated mountain larch

Core-free
Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Claddings
Claddings made of mountain larch (4 – 5 cm). Peeled white by hand, natural tree surface remains tangible and perceptible



Ground anchor
All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

Floors of the houses of 27 mm tongue and groove boards

Steps of hardwood, 32 mm

Dimensions
(small deviations possible)

Length 5.85 m
Width 5.05 m

Timber Houses
Height 2.00 m
Height floor 0.60 m

Bridge
Height 0.60 m
Length 3.00 m
Width 0.70 m

Ramp
Length 2.00 m
Width 0.70 m

Stair
Width 0.80 m

Weight 1150 kg