

Instructions for wear checks of play equipment

The equipment must be checked for correct operation and safety, especially the points listed below:

Proof of maintenance

Playground

Date of installation


Checks depend on the type of equipment. Any equipment with moving parts must be checked at least twice a year, static equipment at least once a year.

Intervals for maintenance work and checks generally depend on

- location
- kind of use
- frequency of use
- possible vandalism

For more details see also "General instructions for maintenance of playgrounds".

Science-fiction Town
Order No. 8.80500



Wooden parts

1. Check for rot and, if necessary, smooth out splinters and round off sharp edges of cracks.
2. Check connections of cantilevers to the central pole.

Ropes and gondolas

3. Check tensioning ropes for wear and tear and examine the slack. If there is too much slack re-tension ropes. If ropes are damaged, it is imperative they be replaced.
4. Check gondola suspension for wear and tear, grease universal joints if necessary.
5. Check connections and screws/bolts at the top of the mast.

Rope ladders and holding ropes

6. Ensure screws/bolts of the connections to the gondola are tight and check connections for wear and tear.
7. Check anchoring of rope ladders to the ground, re-tension ground chains if necessary.

Structural stability

8. In order to check for rot at wooden parts, uncover the foundation once a year.

Special notes, e.g. for repairs

Repair not carried out, it is still possible to play on equipment

Repair not carried out, equipment is taken out of action

All work carried out, everything is in order

Maintenance carried out by:

..... Date